

VOLUME **59** Nº 2 2016

PSYCHOLOGICA



IMPrensa DA UNIVERSIDADE DE COIMBRA
COIMBRA UNIVERSITY PRESS

FACULDADE DE PSICOLOGIA E DE CIÊNCIAS
DA EDUCAÇÃO DA UNIVERSIDADE DE COIMBRA

Versão integral disponível em digitalis.uc.pt

Assessing delusional ideation: A narrative review of self-report instruments

Maria João Martins¹, Paula Castilho², Célia Barreto-Carvalho³, Ana Telma Pereira⁴, Filipa Tróia⁵, Ondina Matos⁶, Prazeres Santos⁷, Tiago Santos⁸ e António Macedo⁹

Abstract

According to recent models of recovery in psychosis, the patients' perspectives about their own difficulties, symptoms and goals (health-related and in other areas) are of major importance in intervention. Self-report measures have been increasingly studied and several authors have pointed out their validity, reliability and clinical utility in people with psychotic-disorders. The present study

1 Cognitive and Behavioural Centre for Research and Intervention, Faculty of Psychology and Educational Sciences, University of Coimbra. Portugal. Department of Psychological Medicine, Faculty of Medicine, University of Coimbra, Portugal. Email: martins.mjrv@gmail.com

2 Cognitive and Behavioural Centre for Research and Intervention, Faculty of Psychology and Educational Sciences, University of Coimbra. Portugal. Email: paulacastilhofreitas@gmail.com

3 Cognitive and Behavioural Centre for Research and Intervention, Faculty of Psychology and Educational Sciences, University of Coimbra. Portugal. Department of Educational Sciences, University of Azores, Portugal. Email: ccarvalho@uac.pt

4 Department of Psychological Medicine, Faculty of Medicine, University of Coimbra, Portugal. Email: anatelmafpereira@gmail.com

5 Community Intervention Unit, Department of Psychiatry and Mental Health, Baixo Vouga Hospital Centre, Portugal. Email: filipa.troia@gmail.com

6 Community Intervention Unit, Department of Psychiatry and Mental Health, Baixo Vouga Hospital Centre, Portugal. Email: ziziprazeres@gmail.com

7 Community Intervention Unit, Department of Psychiatry and Mental Health, Baixo Vouga Hospital Centre, Portugal. Email: ondina.matos@gmail.com

8 Community Intervention Unit, Department of Psychiatry and Mental Health, Baixo Vouga Hospital Centre, Portugal. Email: tiagozevsantos@gmail.com

9 Department of Psychological Medicine, Faculty of Medicine, University of Coimbra, Portugal. Email: amacedo@ci.uc.pt
Artigo recebido a 17-05-2016 e aprovado a 18-01-2017.

sought to review and critically analyse the available self-report instruments for assessing delusions. Four instruments met the inclusion criteria: Characteristics of Delusions Rating Scale; Beliefs Rating Scale; Peters Delusions Inventory; and Conviction of Delusional Beliefs Scale. All scales assess delusions in a multidimensional perspective and present adequate psychometric properties, although with high variability within studies. Refining the psychometric studies of the existing instruments (mainly confirmatory factor analysis, reliability and diagnostic accuracy analyses) and developing new instruments focused on coping are future areas of research interest.

Keywords: assessment; delusions; psychosis; self-report measures

Avaliação da ideação delirante: Uma revisão narrativa dos instrumentos de autorresposta

Resumo

As perspetivas dos pacientes acerca das suas próprias dificuldades, sintomas e objetivos (relacionados com a sua saúde e outras áreas) são de extrema importância para as intervenções, principalmente tendo em conta modelos recentes baseados na recuperação (no original *recovery*) das perturbações psicóticas. Cada vez mais os instrumentos de autorresposta têm sido estudados, sendo que vários autores têm defendido a sua validade, fiabilidade e utilidade clínica para pessoas com o diagnóstico de uma perturbação psicótica. Este estudo teve como objetivo rever e analisar de forma crítica os instrumentos de autorresposta existentes para a avaliação da ideação delirante. Quatro instrumentos preencheram os critérios de inclusão: a escala de características dos delírios (*Characteristics of Delusions Rating Scale*), a escala de avaliação das crenças (*Beliefs Rating Scale*), o inventário de delírios de Peters (*Peters Delusions Inventory*) e a escala de convicção nas ideias delirantes (*Conviction of Delusional Beliefs Scale*). Todas as escalas avaliam as ideias delirantes de uma perspetiva multidimensional e todas apresentam propriedades psicométricas adequadas. No entanto elevada variabilidade foi encontrada entre os estudos. O refinar dos estudos psicométricos destes instrumentos (principalmente o investimento em análises de estrutura factorial, fiabilidade e acuidade diagnóstica) e o desenvolvimento de novos instrumentos focados no *coping* com os delírios são áreas de investigação de interesse para o futuro.

Palavras-chave: avaliação; delírios; psicose; instrumentos de autorresposta